

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 06/06/2005

APPLICATION NO.	8.	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/856,502	09/25/2001		Tetsuharu Tanaka	107348-00119	5501
4372	7590	06/06/2005	EXAMINER		
ARENT FO		r avenue, n.w.	BOYD, JENNIFER A		
SUITE 400	ECIRCO	AVENOE, N.W.	ART UNIT	PAPER NUMBER	
WASHING	ron, dc	20036	1771		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	09/856,502	TANAKA ET AL.					
Office Action Summary	Examiner	Art Unit					
	Jennifer A. Boyd	1771					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on <u>08 Ar</u>	<u>oril 2005</u> .						
2a)⊠ This action is FINAL . 2b)□ This	,						
3) Since this application is in condition for allowan	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠ Claim(s) 1.6 and 13 is/are pending in the applic)⊠ Claim(s) <u>1,6 and 13</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdraw	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.	5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,6 and 13</u> is/are rejected.	☑ Claim(s) <u>1,6 and 13</u> is/are rejected.						
<u> </u>	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Ex	aminer. Note the attached	Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage 							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Su						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		/Mail Date ormal Patent Application (PTO-152)					
Paper No(s)/Mail Date	6) Other:						

Application/Control Number: 09/856,502

Art Unit: 1771

DETAILED ACTION

Response to Amendment

1. The Applicant's Amendments and Accompanying Remarks, filed April 8, 2005, have

been entered and have been carefully considered. Claims 1 and 6 are amended and claims 1, 6

and 13 are pending. In view of Applicant's amendment requiring that the skin body is sueded,

the Examiner withdraws all previously set forth rejections. After another search was conducted,

additional prior art has been found which renders in the invention as currently claimed

unpatentable for reasons herein below.

The text of those sections of Title 35, U.S. Code not included in this action can be found

in a prior Office action.

Claim Rejections - 35 USC § 103

3. Claims 1 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujita et

al.(US 4,781,976) in view of Watt et al. (US 4,808,458).

Fujita et al. is directed to a skin covering for trims of automobiles.

As to claim 1, Fujita teaches that the skin covering comprises a surface layer, a foam

layer and a back layer (Abstract). The Examiner equates the surface layer to Applicant's "skin

body". The skin covering is applied to a cloth (column 3, lines 65 - 68 and column 4, lines 1 -

5). Fujita teaches that the surface layer, or "skin body", comprises high polymerization PVC,

equated to Applicant's "synthetic resin" and other additives such as titanium oxide as a filler.

Page 2

Art Unit: 1771

equated to Applicant's "infrared-ray reflective pigment" (column 2, lines 25 – 55). According to Knovel Critical Tables, titanium oxide is an excellent reflector of infrared light.

As to claim 6, Fujita teaches that the skin covering comprising a surface layer, a foam layer and a back layer (Abstract). The Examiner equates the surface layer to Applicant's "upper layer body" and "upper layer" and the back layer to Applicant's "lower layer" and "lower layer body". Fujita teaches that the surface layer, or "upper layer body/upper layer", comprises high polymerization PVC, equated to Applicant's "synthetic resin" and other additives such as titanium oxide as a filler, equated to Applicant's "infrared-ray reflective pigment". According to *Knovel Critical Tables*, titanium oxide is an excellent reflector of infrared light. Fujita teaches that the back layer, or "lower layer/lower layer body", comprises low polymerization polyvinyl chloride (PVC) and can additionally contain fillers (column 3, lines 20 – 35). Although, Fujita does not specifically teach certain fillers in the paragraph discussing the back layer, Fujita does teach that common fillers include carbon black (column 2, lines 50 –53). The skin covering is applied to a cloth (column 3, lines 65 – 68 and column 4, lines 1 – 5). According to *Complete Textile Glossary*, a cloth is a generic term embracing all textile fabrics and felts and includes any pliant fabric including knits.

Fujita fails to teach that the surface of the skin is a sueded, roughed surface having a plurality of recesses and projections as required by claims 1 and 6.

Watt et al. is directed to a textured suede material (Title) suitable for vehicle applications such as trim panels (column 5, lines 15 – 25). Watt teaches a fabric substrate having a

Page 4

Art Unit: 1771

thermoplastic polymer coating layer and a thermoplastic infusing layer (columns 2-3). The thermoplastic infusing layer can comprise polyvinyl chloride (column 3, lines 5-45). The thermoplastic infusing layer generally imparts desirable physical and chemical properties such as feel, cleanability, color stability, protection against mildew and ultraviolet degradation, flock adhesion, abrasion resistance as well as a suede-like appearance after abrading (column 3, lines 20-30). The abrading process can utilize any abrading apparatus such as a rotating drum sander having a suitable sandpaper grit hereon which abrades the thermoplastic infused flock (column 4, lines 20-30). The sueding or abrading process continues until a desirable look, feel and aesthetic properties are achieved along with the improved properties as discussed (column 4, lines 45-50). It is the position of the Examiner that the sueded surface would inherently have Applicant's "recesses" and "projections".

It would have been obvious to one of ordinary skill in the art at the time the invention was made to create the skin covering of Fujita with a grain as suggested by Watt et al. motivated by the desire to create an aesthetically pleasing skin surface suitable for trim panel applications.

As to claims 1 and 6, Fujita in view of Watt et al. discloses the claimed invention except for that the titanium oxide filler is present in the amount of 0.3 parts to 10 parts per 100 parts of synthetic resin as required by claims 1 and 6 and that the height of the projections of the roughened surface of the skin ranges from 0.05 mm to 0.35 mm as required by claims 1 and 6. It should be noted that the amount of filler present in the synthetic resin and the height of the projections are result effective variables. For example, as the amount of filler increases, the

Art Unit: 1771

synthetic resin becomes stronger and has a higher infrared reflectance, thus resistivity, to exposure to the sun. As the projection height increases, the skin has more of a suede-like appearance with minimal color shift and as the height decreases, the surface becomes more glossy. It would have been obvious to one having ordinary skill in the art at the time the invention was made to create a skin where the titanium oxide filler is present in the amount of 0.3 parts to 10 parts per 100 parts of synthetic resin as required by claims 1 and 6 and that the height of the projections of the roughened surface of the skin ranges from 0.05 mm to 0.35 mm as required by claims 1 and 6 since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). In the present invention, one would have been motivated to optimize the amount of filler present in the synthetic resin and the skin surface roughness to maximize the infrared reflective capabilities and to create an aesthetically pleasing surface that has a suede-like appearance. Additionally, it should be noted that according to Plastic Additives: An A-Z Reference, titanium dioxide, a type of titanium oxide, is the most important white pigment used in PVC and the typical amount required can be between 1 and 10 parts of titanium dioxide per 100 parts of PVC.

4. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Fujita (US 4,781,976) and Watt et al. et al. (US 5,252,164) as applied above and further in view of Hutchinson et al. (GB 2,331,525).

Fujita teaches a surface layer, or "skin body", comprising polyvinyl chloride (PVC) and

Application/Control Number: 09/856,502

Art Unit: 1771

conventional other additives such as plasticizers, stabilizers, catalysts, fillers, pigments and the like (column 2, lines 25 - 37). Fujita teaches that the plasticizers can include phthalic acid esters (column 2, lines 35 - 36) and phosphates (column 2, lines 42 - 44). The plasticizers can be present in the amount of 5 to 80 parts per 100 parts by weight of PVC (column 2, lines 45 - 48). Fujita teaches that the stabilizer used can include Ba-Zn stabilizers (column 2, lines 49 - 50).

Fujita in view of Watt et al. et al. fails to teach that the polyvinyl chloride additionally includes an amine-based stabilizer.

Hutchinson teaches a composition for treating vinyl surfaces for protection against environmental exposure and deterioration caused by ultraviolet light. (Abstract). The composition comprises from 0.01 to 20 weight percent of at least one hindred amine light stabilizer (Abstract).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use 0.01 to 20 weight percent of at least one hindred amine light stabilizer in the polyvinyl chloride resin motivated by the desire to protect the resin from environmental exposure and deterioration caused by ultraviolet light which is a concern for maintaining the integrity and appearance of trims of automobiles.

Fujita in view of Watt et al. and Hutchinson discloses the claimed invention except for that the Ba-Zn stabilizer is present in the amount of 3 parts per 100 parts of the polyvinyl chloride. It should be noted that the amount of Ba-Zn stabilizer is a result effective variable. For example, as the amount of stabilizer increases, the polyvinyl chloride becomes less susceptible to chemical change. It would have been obvious to one having ordinary skill in the art at the time

the invention was made to make a mixture where the Ba-Zn stabilizer is present in the amount of 3 parts per 100 parts of the polyvinyl chloride since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). In the present invention, one would have been motivated to optimize the amount of Ba-Zn stabilizer in the polyvinyl chloride to maintain the color and thermal stability of the resin.

Response to Arguments

- 5. Applicant argues that Fujita does not teach a skin of a seat for a vehicle. It should be noted that the Examiner does not give the recitation of "a skin of a seat for a vehicle" any patentable weight at this time since the prior art meets the structural and/or chemical limitations set forth and there is nothing on record to evidence that the prior art product could not function in the desired capacity. The burden is shifted upon the Applicant to evidence the contrary.
- 6. The remainder of Applicant's arguments with respect to claims 1, 6 and 13 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

Application/Control Number: 09/856,502

Art Unit: 1771

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jennifer A. Boyd whose telephone number is 571-272-1473. The

examiner can normally be reached on Monday thru Friday (8:30am - 6:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Terrel Morris can be reached on 571-272-1478. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bord

May 28, 2005

Ma Ruddich Ula C. Ruddock

Page 8

Primary Examiner Tech Center 1700